

PAPER

Knauf Paper Laminated Gypsum Ceiling Tiles



PAPERERA

General Information

- > Bright & shiny surface.
- > Ready to install.
- > Good light reflectance.
- > Non-hazardous.
- > Non-flammable.

Knauf painted gypsum ceiling tiles

Papera ceiling tiles are manufactured using Knauf gypsum boards. Designed & manufactured to provide a smooth and consistent surface. Very quick and easy to install, Papera comes with UV resistant paper to prevent fading.

Papera is thermal resistant, tough, durable, safe, and eco-friendly. Papera can easily last the life of the building. Papera is suitable for offices, educational institutes, convention centers, condominiums, homes, etc.

Product Information

Thickness (mm)	Width (mm)	Length (mm)	Weight (kg/m ²)	Package*
8, 12	595	595, 1195	2.17, 5.99	8, 6 pcs/box
8, 12	600	600, 1200	2.05, 6.06	8, 6 pcs/box

Recommendation

For best results, Knauf Papera should be installed with Knauf T-bar grid system.

Specification

Manufactured from Knauf gypsum boards.

Painted with UV resistant paint.

Dimensions

- > 8 x 600 x 600 mm
- > 12 x 600 x 1,200 mm

Dimensions (Metric System)*


- > 9 x 595 x 595 mm
- > 12 x 600 x 1,200 mm

Types

- > Standard
- > Moisture Resistant
- > Heat Resistant

Knauf KTG52 T-bar grid system

- > 52 mm. (twin-layer 0.26 mm.) thick galvanized metal.
- > Visible surfaces white powder coated.
- > Height 32 mm. & Width 24 mm.
- > Standard accessories by Knauf Gypsum (Thailand) Limited.



*Metric sizes are made to order only – allow minimum 3 weeks for delivery.

GENERAL INFORMATION

Certified manufacturing standards

- > TIS. 219-2552
- > AS/NZS 2588
- > ASTM C1396
- > EN520
- > BS 1230



Edge type	Square
Dimensions / average weight per Tile	8 x 595 x 595 mm / 2.17 kg. 8 x 600 x 600 mm / 1.86 kg. 12 x 595 x 1195 mm / 5.99 kg. 12 x 600 x 1200 mm / 6.06 kg.
Fire resistant standard	BS 476 part 4, 5, and 6
NRC (Noise Reduction Coefficient)	0.1
CAC (Ceiling Attenuation Class)	8 mm.= 35 dB 9 mm.= 37 dB 12 mm.= 43 dB



KNAUF VIETNAM



KNAUF'S HANOI OFFICE

Unit 6-7, 8th Floor, TNR Tower,
54A Nguyen Chi Thanh, Dong Da Dist.,
Hanoi

- > Tel: +84 24 3791 8412
- > Fax: +84 24 3791 8413



KNAUF'S HAIPHONG FACTORY

Plot CN4.4A, Dinh Vu Industrial Zone,
Dong Hai 2 Ward, Hai An District,
Dinh Vu-Cat Hai Economic Zone, Haiphong

- > Tel: +84 225 8830 666
- > Fax: +84 225 8830 686



KNAUF DIGITAL

- > Email: info@knauf.com.vn
- > www.facebook.com/knauf-vietnam-636398023062218
- > www.knauf.com.vn

Knauf Vietnam Co., Ltd.
Unit 6-7, 8th Floor, TNR Tower,
54A Nguyen Chi Thanh, Dong Da Dist.,
Hanoi, Vietnam



Knauf Singapore
www.knauf.com.sg

Knauf Indonesia
www.knauf.co.id

Knauf Thailand
www.knauf.co.th

Knauf Philippines
www.knauf.com.ph